Substitute for from 1449A.PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)				Complete if Known	
			OSUDE	Application Number	09/295,607
				Filing Date	April 22, 1999
				First Named Inventor	Shunpei YAMAZAKI et al.
			לעי	Art Unit	2811
				Examiner Name	Shouixiang Hu
Sheet	1	of	1	Attorney Docket Number	740756-1961

U.S. PATENT DOCUMENTS					
Examiner Initsala	Cne No. ¹	U.S. Patent Document Number - Kind Code ¹ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevan Passages or Relevant Figures Appear
		US-4,755,478	07-05-1988	Abernathy et al.	
		US-5,414,278	05-09-1995	Kobayashi et al.	
		US-5,637,187	06-10-1997	Takasu et al.	
		US-6,067,062	05-23-2000	Takasu et al.	
		US-			

FOREIGN PATENT DOCUMENTS						
Examiner Initials	Cite No. ¹	Foreign Patent Document Kind Code ³ Country Code ³ Number ⁴ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T*
		JP 58-061663	04-12-1983			AB
		JP 01-133368	05-25-1989			AB
		JP 02-005472	01-10-1990			AB
		JP 04-133035	05-07-1992			AB
		JP 04-304676	10-28-1992			AB
		JP 05-011271	01-19-1993			AB
		EP 0 303 061	02-15-1989			Full
		EP 0 474 474	03-11-1992			Full

Fxaminer Signature	/Shouxiang Hu/	Date Considered	08/27/2008

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

the censources. Include crity to this form with new commitmations of physical Markov (1807) D Pietra Discussions at 222,200,000,000 on NPTP 901,004. Taster Office.

Application 1 uniform cluding designation number (optimal). See Kildel Codes (1807) D Pietra Discussions in a 222,200,000,000 on NPTP 901,004. Taster Office.

Application 1 uniform cluding of the part of the part of the part of the cluster of the part of the cluster of the part of the counter. Schol of document by the appropriate symbols as indicated on the document under WIPO Standard ST.161 (Fpossible Application is typicated as elected much new of the part o